



# PETER COCKS POCKET GUIDE

Effective September 2022



# MAINS PRESSURE

| SKU   | PRODUCT DESCRIPTION  | STATUS |
|---|--|--------|
| <b>Mains Pressure Stainless Steel Cylinders STOCK or MADE TO ORDER MODELS</b> |  |        |
| 4548STD   | PC MPSS 45L 485×530H 2kW                                   | MTO    |
| 4548STD3  | PC MPSS 45L 485×530H 3kW                                   | MTO    |
| 9048STD   | PC MPSS 90L 485×940H 2kW                                   | MTS    |
| 9048STD3  | PC MPSS 90L 485×940H 3kW                                   | MTO    |
| 13548STD  | PC MPSS 135L 485×1365H 2kW RUN-OUT*                        | MTS    |
| 13549STD13  | PC MPSS 135L 490x1365H 2kW Screw in Element**              | MTS    |
| 13548STD3   | PC MPSS 135L 485×1365H 3kW RUN-OUT*                        | MTS    |
| 13549STD15  | PC MPSS 135L 490x1365H 3kW Screw in Element**              | MTS    |
| 13556STD  | PC MPSS 135L 560×1010H 2kW RUN-OUT*                        | MTS    |
| 13556STD13  | PC MPSS 135L 560x1010H 2kW Screw in Element**              | MTS    |
| 13556STD3   | PC MPSS 135L 560×1010H 3kW RUN-OUT*                        | MTS    |
| 13556STD15  | PC MPSS 135L 560x1010H 3kW Screw in Element**              | MTS    |
| 18048STD  | PC MPSS 180L 490×1760H 2kW RUN-OUT*                        | MTS    |
| 18049STD13  | PC MPSS 180L 490x1760H 2kW Screw in Element**              | MTS    |
| 18048STD3   | PC MPSS 180L 490×1760H 3kW RUN-OUT*                        | MTS    |
| 18049STD15  | PC MPSS 180L 490x1760H 3kW Screw in Element**              | MTS    |
| 18056STD  | PC MPSS 180L 560×1295H 2kW RUN-OUT*                        | MTS    |
| 18056STD13  | PC MPSS 180L 560x1295H 2kW Screw in Element**              | MTS    |
| 18056STD3   | PC MPSS 180L 560×1295H 3kW RUN-OUT*                        | MTS    |
| 18056STD15  | PC MPSS 180L 560x1295H 3kW Screw in Element**              | MTS    |
| 250STD  | PC MPSS 250L 560×1730H 3kW RUN-OUT*                        | MTS    |
| 25056STD15  | PC MPSS 250L 560x1730H 3kW Screw in Element**              | MTS    |
| 300STD  | PC MPSS 300L 560×2045H 3kW RUN-OUT*                        | MTS    |
| 30056STD15  | PC MPSS 300L 560x2045H 3kW Screw in Element**              | MTS    |
| 18048SDB  | PC MPSS 180L 485×1765H 2kW Direct Solar RUN-OUT*           | MTO    |
| 18049SD13   | PC MPSS 180L 490x1760H 2kW Direct Solar Screw in Element** | MTO    |
| 18048SDB3   | PC MPSS 180L 485×1765H 3kW Direct Solar RUN-OUT*           | MTS    |
| 18049SD15   | PC MPSS 180L 490x1760H 3kW Direct Solar Screw in Element** | MTS    |
| 18056SDB  | PC MPSS 180L 560×1295H 2kW Direct Solar RUN-OUT*           | MTS    |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU   | PRODUCT DESCRIPTION  | STATUS |
|---|--|--------|
| <b>Mains Pressure Stainless Steel Cylinders STOCK or MADE TO ORDER MODELS (continued)</b> |  |        |
| 18056SD13   | PC MPSS 180L 560x1295H 2kW Direct Solar Screw in Element** | MTS    |
| 18056SDB3   | PC MPSS 180L 560x1295H 3kW Direct Solar RUN-OUT*           | MTS    |
| 18056SD15   | PC MPSS 180L 560x1295H 3kW Direct Solar Screw in Element** | MTS    |
| 200SDB  | PC MPSS 200L 560x1450H 3kW Direct Solar RUN-OUT*           | MTS    |
| 20056SD15   | PC MPSS 200L 560x1425H 3kW Direct Solar Screw in Element** | MTS    |
| 250SDB  | PC MPSS 250L 560x1725H 3kW Direct Solar RUN-OUT*           | MTS    |
| 25056SDB15  | PC MPSS 250L 560x1730H 3kW Direct Solar Screw in Element** | MTS    |
| 300SDB  | PC MPSS 300L 560x2045H 3kW Direct Solar RUN-OUT*           | MTS    |
| 30056SDB15  | PC MPSS 300L 560x2045H 3kW Direct Solar Screw in Element** | MTS    |

\*Please contact Customer Services for stock availability

\*\*Replacement models for run-out products

### Mains Pressure Stainless Steel Coil - STANDARD or MADE TO ORDER Models

|         |  |     |
|---------|--|-----|
| 250SCB  | PC MPSS 250L 560x1725H 3kW Low Coil (Solar)*             | MTS |
| 250SCBR | PC MPSS 250L 560x1725H 3kW RH Low Coil (Solar)*          | MTO |
| 300SCB  | PC MPSS 300L 560x2045H 3kW Low Coil (Solar)*             | MTS |
| 300SCBR | PC MPSS 300L 560x2045H 3kW RH Low Coil (Solar)*          | MTO |
| 250STB  | PC MPSS 250L 560x1725H 3kW Mid Coil (Wetback)            | MTS |
| 250STBR | PC MPSS 250L 560x1725H 3kW RH Mid Coil (Wetback)         | MTS |
| 250STCB | PC MPSS 250L 560x1725H 3kW Twin Coil (Wetback and Solar) | MTS |
| 300STB  | PC MPSS 300L 560x2045H 3kW Mid Coil (Wetback)            | MTS |
| 300STBR | PC MPSS 300L 560x2045H 3kW RH Mid Coil (Wetback)         | MTS |
| 300STCB | PC MPSS 300L 560x2045H 3kW Twin Coil (Wetback and Solar) | MTS |

\*Not suitable for wetback installations

### Mains Pressure Stainless Steel - CUSTOM Models

|          |                                 |      |
|----------|---------------------------------|------|
| 13543CUS | PC Custom MP 135L 430x1820H 3kW | CUST |
| 13554CUS | PC Custom MP 135L 540x1045H 3kW | CUST |
| 13556CUS | PC Custom MP 135L 560x1010H 3kW | CUST |
| 15067CUS | PC Custom MP 150L 670x800H 3kW  | CUST |
| 18048CUS | PC Custom MP 180L 485x1780H 3kW | CUST |

| SKU   | PRODUCT DESCRIPTION             | STATUS |
|---|---------------------------------|--------|
| <b>Mains Pressure Stainless Steel - CUSTOM Models (continued)</b> |                                 |        |
| 18054CUS  | PC Custom MP 180L 540×1370H 3kW | CUST   |
| 18056CUS  | PC Custom MP 180L 560×1295H 3kW | CUST   |
| 18057CUS  | PC Custom MP 180L 575×1185H 3kW | CUST   |
| 18067CUS  | PC Custom MP 180L 670×910H 3kW  | CUST   |
| 20048CUS  | PC Custom MP 200L 485×1960H 3kW | CUST   |
| 20056CUS  | PC Custom MP 200L 560×1450H 3kW | CUST   |
| 20067CUS  | PC Custom MP 200L 670×990H 3kW  | CUST   |
| 25054CUS  | PC Custom MP 250L 540×1820H 3kW | CUST   |
| 25056CUS  | PC Custom MP 250L 560×1725H 3kW | CUST   |
| 25057CUS  | PC Custom MP 250L 575×1585H 3kW | CUST   |
| 25067CUS  | PC Custom MP 250L 670×1200H 3kW | CUST   |
| 25069CUS  | PC Custom MP 250L 690×1100H 3kW | CUST   |
| 28054CUS  | PC Custom MP 280L 540×2020H 3kW | CUST   |
| 28056CUS  | PC Custom MP 280L 560×1900H 3kW | CUST   |
| 28067CUS  | PC Custom MP 280L 670×1325H 3kW | CUST   |
| 30056CUS  | PC Custom MP 300L 560×2045H 3kW | CUST   |
| 30057CUS  | PC Custom MP 300L 575×1870H 3kW | CUST   |
| 30067CUS  | PC Custom MP 300L 670×1410H 3kW | CUST   |
| 30069CUS  | PC Custom MP 300L 690×1275H 3kW | CUST   |
| 33057CUS  | PC Custom MP 330L 575×2020H 3kW | CUST   |
| 35067CUS  | PC Custom MP 350L 670×1630H 3kW | CUST   |
| 35069CUS  | PC Custom MP 350L 690×1455H 3kW | CUST   |
| 40067CUS  | PC Custom MP 400L 670×1830H 3kW | CUST   |
| 40069CUS  | PC Custom MP 400L 690×1625H 3kW | CUST   |
| 45069CUS  | PC Custom MP 450L 690×1820H 3kW | CUST   |
| 50080CUS  | PC Custom MP 500L 800×1600H 3kW | CUST   |
| 60080CUS  | PC Custom MP 600L 800×1870H 5kW | CUST   |

Full range of customised cylinders are available between 45 – 600Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks Sales Representative for a quote.

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU  | PRODUCT DESCRIPTION   | STATUS |
|--|---|--------|
| <b>Mains Pressure Stainless Steel - CUSTOM Extra's</b> |   |        |
| 417003   | PC 25mm Coil Stainless Steel (6m Long)                              |        |
| 417001   | PC 25mm Coil Stainless Steel (12m Long)                             |        |
| 417002   | PC 25mm Coil Stainless Steel (18m Long)                             |        |
| 417007   | PC 25mm Extra Coil S/Steel (6m Long)                                |        |
| 417005   | PC 25mm Extra Coil S/Steel (12m Long)                               |        |
| 417006   | PC 25mm Extra Coil S/Steel (18m Long)                               |        |
| 417031   | PC 25mm Coil S/Steel 670+ Diam (6m Long)                            |        |
| 417032   | PC 25mm Coil S/Steel 670+ Diam (12m Long)                           |        |
| 417033   | PC 25mm Coil S/Steel 670+ Diam (18m Long)                           |        |
| 417023   | PC Custom Booster Element Titanium                                  |        |
| 417034   | PC Custom Booster Element Titanium 3kW & Thermostat Stainless Steel |        |
| 320242   | PC Element Titanium Screw-in 2kW                                    |        |
| 320243   | PC Element Titanium Screw-in LWD 2kW                                |        |
| 320244   | PC Element Titanium Screw-in 3kW                                    |        |
| 320245   | PC Element Titanium Screw-in LWD 3kW                                |        |
| 417014   | PC Extra 20mm Stainless Steel Connection                            |        |
| 417015   | PC Extra 25mm Stainless Steel Connection                            |        |
| 417016   | PC Extra 32mm Stainless Steel Connection                            |        |
| 417017   | PC Extra 40mm Stainless Steel Connection                            |        |
| 417018   | PC Extra 50mm Stainless Steel Connection                            |        |
| 417024   | PC Solar Set 2 x Probe Pockets and 2 x Connections Stainless Steel  |        |
| 411025   | PC Probe Pocket Stainless Steel                                     |        |
| <b>Copper CUSTOM Extra's</b>                           |   |        |
| 417009   | PC 25mm Fitted Copper Coil (5m Long)                                |        |
| 417008   | PC 25mm Fitted Copper Coil (10m Long)                               |        |
| 417000   | PC 20mm Fitted Copper Coil (15m Long)                               |        |
| 417021   | PC Jumbo 20mm Copper Coil Fitted (45m Long)                         |        |
| 417022   | PC Jumbo 20mm Copper Coil Fitted (65m Long)                         |        |

| SKU                                      | PRODUCT DESCRIPTION                                     | STATUS |
|--|---|--------|
| <b>Copper CUSTOM Extra's (continued)</b> |   |        |
| 411000                                   | Custom Booster Unit + Element 3kW & Thermostat (Copper) |        |
| 417013                                   | PC Extra 20mm Copper Connection                         |        |
| 411034                                   | PC Thermopocket for Solar (Copper only)                 |        |
| 417025                                   | PC Solar Set 2 x Probe Pockets and 2 x Connections      |        |

## LOW PRESSURE

### Low Pressure Stainless Steel - MADE TO ORDER MODELS

|             |                                    |     |
|-------------|------------------------------------|-----|
| LP13548STD  | PC LP SS 135L 485×1365H 2kW Triple | MTO |
| LP13548STD3 | PC LP SS 135L 485×1365H 3kW Triple | MTO |
| LP13554STD  | PC LP SS 135L 540×1045H 2kW Triple | MTO |
| LP13556STD  | PC LP SS 135L 560×1010H 2kW Triple | MTO |
| LP13556STD3 | PC LP SS 135L 560×1010H 3kW Triple | MTO |
| LP18048STD  | PC LP SS 180L 485×1780H 2kW Triple | MTO |
| LP18054STD  | PC LP SS 180L 540×1360H 2kW Triple | MTO |
| LP18056STD  | PC LP SS 180L 560×1295H 2kW Triple | MTO |
| LP18056STD3 | PC LP SS 180L 560×1295H 3kW Triple | MTO |

### Low Pressure Stainless Steel Wetback - MADE TO ORDER MODELS

|             |   |     |
|-------------|---|-----|
| LP13548DSP  | PC LP SS Dual 135L 485×1395H 2kW BT Wetback | MTO |
| LP13556DSP  | PC LP SS Dual 135L 560×1020H 2kW BT Wetback | MTO |
| LP13556DSPL | PC LP SS DUAL 135L 560×1020H 2KW LH WETBACK | MTO |
| LP13556DSPR | PC LP SS DUAL 135L 560×1020H 2KW RH WETBACK | MTO |
| LP18048DSP  | PC LP SS DUAL 180L 485×1780H 2KW BT WETBACK | MTO |
| LP18048DSPL | PC LP SS DUAL 180L 485×1780H 2KW LH WETBACK | MTO |
| LP18048DSPR | PC LP SS DUAL 180L 485×1780H 2KW RH WETBACK | MTO |
| LP18054DSP  | PC LP SS DUAL 180L 540×1370H 2KW BT WETBACK | MTO |
| LP18054DSPL | PC LP SS DUAL 180L 540×1370H 2KW LH WETBACK | MTO |
| LP18054DSPR | PC LP SS DUAL 180L 540×1370H 2KW RH WETBACK | MTO |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU  | PRODUCT DESCRIPTION                         | STATUS |
|--|---|--------|
| <b>Low Pressure Stainless Steel Wetback - MADE TO ORDER MODELS (continued)</b> |   |        |
| LP18056DSP   | PC LP SS DUAL 180L 560×1295H 2KW BT WETBACK | MTO    |
| LP18056DSPL  | PC LP SS DUAL 180L 560×1295H 2KW LH WETBACK | MTO    |
| LP18056DSPR  | PC LP SS DUAL 180L 560×1295H 2KW RH WETBACK | MTO    |
| <b>Low Pressure Copper - STANDARD &amp; MADE TO ORDER MODELS</b>               |   |        |
| 13US   | PC LP 13L 350×360H 2kW Underbench           | MTS    |
| 22US   | PC LP 22L 350×500H 2kW Underbench           | MTS    |
| 40US   | PC LP 40L 460×500H 2kW Underbench           | MTS    |
| 4546ESP  | PC LP 45L 460×560H 2kW Triple               | MTS    |
| 6546ESP  | PC LP 65L 460×750H 2kW Triple               | MTO    |
| 9046ESP  | PC LP 90L 460×1000H 2kW Triple              | MTS    |
| 9051ESP  | PC LP 90L 510×785H 2kW Triple               | MTO    |
| 9054ESP  | PC LP 90L 540×730H 2kW Triple               | MTS    |
| 11046ESP   | PC LP 110L 460×1200H 2kW Triple             | MTO    |
| 11051ESP   | PC LP 110L 510×950H 2kW Triple              | MTO    |
| 11054ESP   | PC LP 110L 540×900H 2kW Triple              | MTO    |
| 12043ESP   | PC LP 120L 430×1425H 2kW Triple             | MTO    |
| 12051ESP   | PC LP 120L 510×1000H 2kW Triple             | MTO    |
| 135415ESP  | PC LP 135L 415×1810H 2kW Triple             | MTO    |
| 13546ESP   | PC LP 135L 460×1470H 2kW Triple             | MTS    |
| 13548ESP   | PC LP 135L 485×1310H 2kW Triple             | MTS    |
| 13551ESP   | PC LP 135L 510×1140H 2kW Triple             | MTS    |
| 13554ESP   | PC LP 135L 540×1045H 2kW Triple             | MTS    |
| 13556ESP   | PC LP 135L 560×950H 2kW Triple              | MTS    |
| 13561ESP   | PC LP 135L 610×820H 2kW Triple              | MTO    |
| 15551ESP   | PC LP 155L 510×1300H 2kW Triple             | MTO    |
| 17556ESP   | PC LP 175L 560×1224H 2kW Triple             | MTO    |
| 18047ESP   | PC LP 180L 470×1900H 2kW Triple             | MTS    |

| SKU  | PRODUCT DESCRIPTION                    | STATUS |
|--|--|--------|
| <b>Low Pressure Copper - STANDARD &amp; MADE TO ORDER MODELS (continued)</b> |  |        |
| 18049ESP   | PC LP 180L 490×1670H 2kW Triple        | MTS    |
| 18051ESP   | PC LP 180L 510×1520H 2kW Triple        | MTS    |
| 18054-1ESP   | PC LP 180L 540×1360H 2kW Triple        | MTS    |
| 18054-1ESP3  | PC LP 180L 540×1360H 3kW Triple        | MTO    |
| 18056ESP   | PC LP 180L 560×1270H 2kW Triple        | MTS    |
| 18061ESP   | PC LP 180L 610×1030H 2kW Triple        | MTS    |
| 20056ESP   | PC LP 200L 560×1450H 3kW Triple        | MTO    |
| 22551ESP   | PC LP 225L 510×1900H 3kW Triple        | MTO    |
| 22554ESP   | PC LP 225L 540×1650H 3kW Triple        | MTS    |
| 22556ESP   | PC LP 225L 560×1550H 3kW Triple        | MTS    |
| 22561ESP   | PC LP 225L 610×1260H 3kW Triple        | MTO    |
| 25056ESP   | PC LP 250L 560×1720H 3kW Triple        | MTO    |
| 27054ESP   | PC LP 270L 540×1980H 3kW Triple        | MTS    |
| 27056ESP   | PC LP 270L 560×1800H 3kW Triple        | MTS    |
| 27061ESP   | PC LP 270L 610×1490H 3kW Triple        | MTS    |
| 27070ESP   | PC LP 270L 700×1100H 3kW Triple        | MTO    |
| 30056ESP   | PC LP 300L 560×2020H 3kW Triple        | MTO    |
| 30070ESP   | PC LP 300L 700× 1220H 3kW Triple       | MTO    |
| 36061ESP   | PC LP 360L 610×1900H 3kW Single        | MTO    |
| 36070ESP   | PC LP 360L 700×1490H 3kW Single        | MTO    |
| 45070ESP   | PC LP 450L 700×1900H 3kW Single        | MTO    |
| <b>Low Pressure Stainless Steel - Tank Attached - MADE TO ORDER MODELS</b>   |  |        |
| 11051CM  | PC LP 110L 510×1310H 2kW Tank Attached | MTO    |
| 13554CM  | PC LP 135L 540×1400H 2kW Tank Attached | MTO    |
| 13556CM  | PC LP 135L 560×1320H 2kW Tank Attached | MTO    |
| 18056CM  | PC LP 180L 560×1630H 2kW Tank Attached | MTO    |
| 18061CM  | PC LP 180L 610×1385H 2kW Tank Attached | MTO    |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU   | PRODUCT DESCRIPTION                       | STATUS |
|---|---|--------|
| <b>Cistern Tanks (all complete with external supply) - MADE TO ORDER MODELS</b> |   |        |
| PCCMS   | PC Cistern Tank 30L 460 × 260 Small       | MTO    |
| PCCMM   | PC Cistern Tank 45L 460 × 360 Medium      | MTO    |
| PCCML   | PC Cistern Tank 75L 560 × 360 Large       | MTO    |
| <b>Low Pressure Copper Wetback - STANDARD &amp; MADE TO ORDER MODELS</b>        |   |        |
| 4546DSP   | PC LP Dual 45L 460×560H 2kW BTM Wetback   | MTO    |
| 4546DSPL  | PC LP Dual 45L 460×560H 2kW LH Wetback    | MTO    |
| 4546DSPR  | PC LP Dual 45L 460×560H 2kW RH Wetback    | MTO    |
| 6546DSP   | PC LP Dual 65L 460×750H 2kW BTM Wetback   | MTO    |
| 6546DSPL  | PC LP Dual 65L 460×750H 2kW LH Wetback    | MTO    |
| 6546DSPR  | PC LP Dual 65L 460×750H 2kW RH Wetback    | MTO    |
| 9046DSP   | PC LP Dual 90L 460×1000H 2kW BTM Wetback  | MTO    |
| 9046DSPL  | PC LP Dual 90L 460×1000H 2kW LH Wetback   | MTO    |
| 9046DSPR  | PC LP Dual 90L 460×1000H 2kW RH Wetback   | MTO    |
| 9054DSP   | PC LP Dual 90L 540×730H 2kW BTM Wetback   | MTO    |
| 9054DSPL  | PC LP Dual 90L 540×730H 2kW LH Wetback    | MTO    |
| 9054DSPR  | PC LP Dual 90L 540×730H 2kW RH Wetback    | MTO    |
| 11046DSP  | PC LP Dual 110L 460×1200H 2kW BTM Wetback | MTO    |
| 11046DSPL   | PC LP Dual 110L 460×1200H 2kW LH Wetback  | MTO    |
| 11046DSPR   | PC LP Dual 110L 460×1200H 2kW RH Wetback  | MTO    |
| 12051DSP  | PC LP Dual 120L 510×1000H 2kW BTM Wetback | MTO    |
| 12051DSPL   | PC LP Dual 120L 510×1000H 2kW LH Wetback  | MTO    |
| 12051DSPR   | PC LP Dual 120L 510×1000H 2kW RH Wetback  | MTO    |
| 13546DSP  | PC LP Dual 135L 460×1470H 2kW BTM Wetback | MTO    |
| 13546DSPL   | PC LP Dual 135L 460×1470H 2kW LH Wetback  | MTO    |
| 13546DSPR   | PC LP Dual 135L 460×1470H 2kW RH Wetback  | MTO    |
| 13548DSP  | PC LP Dual 135L 480×1310H 2kW BTM Wetback | MTO    |
| 13548DSPL   | PC LP Dual 135L 480×1310H 2kW LH Wetback  | MTO    |

| SKU  | PRODUCT DESCRIPTION                       | STATUS |
|--|---|--------|
| <b>Low Pressure Copper Wetback - STANDARD &amp; MADE TO ORDER MODELS (continued)</b> |   |        |
| 13548DSPR  | PC LP Dual 135L 480×1310H 2kW RH Wetback  | MTO    |
| 13551DSP   | PC LP Dual 135L 510×1140H 2kW BTM Wetback | MTO    |
| 13551DSPL  | PC LP Dual 135L 510×1140H 2kW LH Wetback  | MTO    |
| 13551DSPR  | PC LP Dual 135L 510×1140H 2kW RH Wetback  | MTO    |
| 13554DSP   | PC LP Dual 135L 540×1045H 2kW BTM Wetback | MTO    |
| 13554DSPL  | PC LP Dual 135L 540×1045H 2kW LH Wetback  | MTO    |
| 13554DSPR  | PC LP Dual 135L 540×1045H 2kW RH Wetback  | MTO    |
| 13556DSP   | PC LP Dual 135L 560×950H 2kW BTM Wetback  | MTO    |
| 13556DSPL  | PC LP Dual 135L 560×950H 2kW LH Wetback   | MTO    |
| 13556DSPR  | PC LP Dual 135L 560×950H 2kW RH Wetback   | MTO    |
| 13561DSP   | PC LP Dual 135L 610×820H 2kW BTM Wetback  | MTO    |
| 13561DSPL  | PC LP Dual 135L 610×820H 2kW LH Wetback   | MTO    |
| 13561DSPR  | PC LP Dual 135L 610×820H 2kW RH Wetback   | MTO    |
| 15551DSP   | PC LP Dual 155L 510×1300H 2kW BTM Wetback | MTO    |
| 15551DSPL  | PC LP Dual 155L 510×1300H 2kW LH Wetback  | MTO    |
| 15551DSPR  | PC LP Dual 155L 510×1300H 2kW RH Wetback  | MTO    |
| 17556DSP   | PC LP Dual 175L 560×1224H 2kW BTM Wetback | MTO    |
| 17556DSPL  | PC LP Dual 175L 560×1224H 2kW LH Wetback  | MTO    |
| 17556DSPR  | PC LP Dual 175L 560×1224H 2kW RH Wetback  | MTO    |
| 18047DSP   | PC LP Dual 180L 470×1900H 2kW BTM Wetback | MTO    |
| 18047DSPL  | PC LP Dual 180L 470×1900H 2kW LH Wetback  | MTO    |
| 18047DSPR  | PC LP Dual 180L 470×1900H 2kW RH Wetback  | MTO    |
| 18049DSP   | PC LP Dual 180L 490×1670H 2kW BTM Wetback | MTO    |
| 18049DSPL  | PC LP Dual 180L 490×1670H 2kW LH Wetback  | MTO    |
| 18049DSPR  | PC LP Dual 180L 490×1670H 2kW RH Wetback  | MTO    |
| 18051DSP   | PC LP Dual 180L 510×1520H 2kW BTM Wetback | MTS    |
| 18051DSPL  | PC LP Dual 180L 510×1520H 2kW LH Wetback  | MTO    |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU  | PRODUCT DESCRIPTION                       | STATUS |
|--|---|--------|
| <b>Low Pressure Copper Wetback - STANDARD &amp; MADE TO ORDER MODELS (continued)</b> |   |        |
| 18051DSPR  | PC LP Dual 180L 510×1520H 2kW RH Wetback  | MTO    |
| 18054DSP   | PC LP Dual 180L 540×1360H 2kW BTM Wetback | MTS    |
| 18054DSPL  | PC LP Dual 180L 540×1360H 2kW LH Wetback  | MTS    |
| 18054DSPR  | PC LP Dual 180L 540×1360H 2kW RH Wetback  | MTS    |
| 18054DSP3  | PC LP Dual 180L 540×1360H 3kW BTM Wetback | MTO    |
| 18056DSP   | PC LP Dual 180L 560×1270H 2kW BTM Wetback | MTS    |
| 18056DSPL  | PC LP Dual 180L 560×1270H 2kW LH Wetback  | MTS    |
| 18056DSPR  | PC LP Dual 180L 560×1270H 2kW RH Wetback  | MTS    |
| 18061DSP   | PC LP Dual 180L 610×1030H 2kW BTM Wetback | MTO    |
| 18061DSPL  | PC LP Dual 180L 610×1030H 2kW LH Wetback  | MTO    |
| 18061DSPR  | PC LP Dual 180L 610×1030H 2kW RH Wetback  | MTO    |
| 22554DSP   | PC LP Dual 225L 540×1650H 3kW BTM Wetback | MTO    |
| 22554DSPL  | PC LP Dual 225L 540×1650H 3kW LH Wetback  | MTO    |
| 22554DSPR  | PC LP Dual 225L 540×1650H 3kW RH Wetback  | MTO    |
| 22556DSP   | PC LP Dual 225L 560×1550H 3kW BTM Wetback | MTS    |
| 22556DSPL  | PC LP Dual 225L 560×1550H 3kW LH Wetback  | MTO    |
| 22556DSPR  | PC LP Dual 225L 560×1550H 3kW RH Wetback  | MTO    |
| 22561DSP   | PC LP Dual 225L 610×1260H 3kW BTM Wetback | MTO    |
| 22561DSPL  | PC LP Dual 225L 610×1260H 3kW LH Wetback  | MTO    |
| 22561DSPR  | PC LP Dual 225L 610×1260H 3kW RH Wetback  | MTO    |
| 27054DSP   | PC LP Dual 270L 540×1980H 3kW BTM Wetback | MTO    |
| 27054DSPL  | PC LP Dual 270L 540×1980H 3kW LH Wetback  | MTO    |
| 27054DSPR  | PC LP Dual 270L 540×1980H 3kW RH Wetback  | MTO    |
| 27056DSP   | PC LP Dual 270L 560×1800H 3kW BTM Wetback | MTS    |
| 27056DSPL  | PC LP Dual 270L 560×1800H 3kW LH Wetback  | MTO    |
| 27056DSPR  | PC LP Dual 270L 560×1800H 3kW RH Wetback  | MTO    |
| 27061DSP   | PC LP Dual 270L 610×1490H 3kW BTM Wetback | MTS    |
| 27061DSPL  | PC LP Dual 270L 610×1490H 3kW LH Wetback  | MTO    |

| SKU  | PRODUCT DESCRIPTION                       | STATUS |
|--|---|--------|
| <b>Low Pressure Copper Wetback - STANDARD &amp; MADE TO ORDER MODELS (continued)</b> |   |        |
| 27061DSPR  | PC LP Dual 270L 610×1490H 3kW RH Wetback  | MTO    |
| 27070DSP   | PC LP Dual 270L 700×1100H 3kW BTM Wetback | MTO    |
| 27070DSPL  | PC LP Dual 270L 700×1100H 3kW LH Wetback  | MTO    |
| 27070DSPR  | PC LP Dual 270L 700×1100H 3kW RH Wetback  | MTO    |
| 36061DSP   | PC LP Dual 360L 610×1900H 3kW BTM Wetback | MTO    |
| 36061DSPL  | PC LP Dual 360L 610×1900H 3kW LH Wetback  | MTO    |
| 36061DSPR  | PC LP Dual 360L 610×1900H 3kW RH Wetback  | MTO    |
| 36070DSP   | PC LP Dual 360L 700×1490H 3kW BTM Wetback | MTO    |
| 36070DSPL  | PC LP Dual 360L 700×1490H 3kW LH Wetback  | MTO    |
| 36070DSPR  | PC LP Dual 360L 700×1490H 3kW RH Wetback  | MTO    |
| 45070DSP   | PC LP Dual 450L 700×1900H 3kW BTM Wetback | MTO    |

**Jumbo Low Pressure Copper (Low Pressure Tank with Mains Pressure Coil) - MADE TO ORDER MODELS**

|         |  |     |
|---------|--|-----|
| 18054HP | PC Jumbo 180L 540×1360H Wetback MP Coil (20mm X 45m) | MTO |
| 18056HP | PC Jumbo 180L 560×1295H Wetback MP Coil (20mm X 45m) | MTO |
| 27056HP | PC JUMBO 270L 560×1800H WETBACK MP COIL (20MM X 65M) | MTO |
| 27061HP | PC JUMBO 270L 610×1490H WETBACK MP COIL (20MM X 65M) | MTO |

**Medium Pressure Copper - MADE TO ORDER MODELS**

|          |  |     |
|----------|--|-----|
| 13UMPW   | PC Medium Pressure 13L 350×360H 2kW Underbench | MTO |
| 22UMPW   | PC Medium Pressure 22L 350×500H 2kW Underbench | MTO |
| 40UMPW   | PC Medium Pressure 40L 460×500H 2kW Underbench | MTO |
| 4546MPW  | PC Medium Pressure 45L 460×560H 2kW Triple     | MTO |
| 6546MPW  | PC Medium Pressure 65L 460×750H 2kW Triple     | MTO |
| 9046MPW  | PC Medium Pressure 90L 460×1000H 2kW Triple    | MTO |
| 9054MPW  | PC Medium Pressure 90L 540×730H 2kW Triple     | MTO |
| 13546MPW | PC Medium Pressure 135L 460×1470H 2kW Triple   | MTO |
| 13548MPW | PC Medium Pressure 135L 480×1310H 2kW Triple   | MTO |
| 13551MPW | PC Medium Pressure 135L 510×1140H 2kW Triple   | MTO |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU  | PRODUCT DESCRIPTION                          | STATUS |
|--|--|--------|
| <b>Medium Pressure Copper - MADE TO ORDER MODELS (continued)</b> |  |        |
| 13554MPW   | PC Medium Pressure 135L 540×1045H 2kW Triple | MTO    |
| 18047MPW   | PC Medium Pressure 180L 470×1900H 3kW Triple | MTO    |
| 18049MPW   | PC Medium Pressure 180L 490×1670H 3kW Triple | MTO    |
| 18051MPW   | PC Medium Pressure 180L 510×1520H 3kW Triple | MTO    |
| 18054MPW   | PC Medium Pressure 180L 540×1360H 3kW Triple | MTO    |
| 18056MPW   | PC Medium Pressure 180L 560×1220H 3kW Triple | MTO    |
| 18061MPW   | PC Medium Pressure 180L 610×1030H 3kW Triple | MTO    |
| 22551MPW   | PC Medium Pressure 225L 510×1900H 3kW Triple | MTO    |
| 22554MPW   | PC Medium Pressure 225L 540×1640H 3kW Triple | MTO    |
| 22556MPW   | PC Medium Pressure 225L 560×1550H 3kW Triple | MTO    |
| 22561MPW   | PC Medium Pressure 225L 610×1260H 3kW Triple | MTO    |
| 27054MPW   | PC Medium Pressure 270L 540×1980H 3kW Triple | MTO    |
| 27056MPW   | PC Medium Pressure 270L 560×1800H 3kW Triple | MTO    |
| 27061MPW   | PC Medium Pressure 270L 610×1490H 3kW Triple | MTO    |
| 27070MPW   | PC Medium Pressure 270L 700×1100H 3kW Triple | MTO    |
| 30070MPW   | PC Medium Pressure 300L 700×1220H 3kW Triple | MTO    |
| 36061MPW   | PC Medium Pressure 360L 610×1900H 3kW Triple | MTO    |
| 36070MPW   | PC Medium Pressure 360L 700×1490H 3kW Triple | MTO    |
| 45070MPW   | PC Medium Pressure 450L 700×1900H 3kW Triple | MTO    |

Full range of customised cylinders are available between 45 – 600Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks Sales Representative for a quote.

### Chillinder

|        |                            |     |
|--------|----------------------------|-----|
| PCCH40 | PC Chillinder 40L 460×500H | MTO |
|--------|----------------------------|-----|

# DAIRY

## Dairy Low Pressure Copper - MADE TO ORDER MODELS

|        |                               |     |
|--------|-------------------------------|-----|
| 18061D | PC DAIRY 180L 610×1300H 3KW   | MTO |
| 20061D | PC DAIRY 200L 610×1400H 3KW   | MTO |
| 22561D | PC DAIRY 225L 610×1530H 3KW   | MTO |
| 27061D | PC DAIRY 270L 610×1780H 3KW   | MTO |
| 27071D | PC DAIRY 270L 700×1950H 3KW   | MTO |
| 30061D | PC DAIRY 300L 610×1900H 3KW   | MTO |
| 35061D | PC DAIRY 350L 610×2170H 2×3KW | MTO |
| 35071D | PC DAIRY 350L 710×1750H 2×3KW | MTO |
| 35080D | PC DAIRY 350L 800×1320H 2×3KW | MTO |
| 40071D | PC DAIRY 400L 710×1950H 2×3KW | MTO |
| 40080D | PC DAIRY 400L 800×1510H 2×3KW | MTO |
| 45071D | PC DAIRY 450L 710×2150H 2×3KW | MTO |
| 45080D | PC DAIRY 450L 800×1640H 2×3KW | MTO |
| 50080D | PC DAIRY 500L 800×1760H 2×3KW | MTO |
| 55080D | PC DAIRY 550L 800×1900H 2×3KW | MTO |
| 60080D | PC DAIRY 600L 800×2040H 2×3KW | MTO |

# ACCESSORIES

## Elements & Thermostats

|        |                                |
|--------|--------------------------------|
| 319099 | PC Element Incoloy 1kW         |
| 319100 | PC Element Incoloy 2kW         |
| 319101 | PC Element Incoloy 3kW         |
| 320165 | PC Element Incoloy 5kW         |
| 319105 | PC Element Incoloy 6kW (2×3kW) |
| 319127 | PC Element Titanium 2kW        |
| 319128 | PC Element Titanium LWD 2kW    |

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

**NB:** FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

| SKU   | PRODUCT DESCRIPTION  | STATUS |
|---|--|--------|
| <b>Elements &amp; Thermostats (continued)</b> |  |        |
| 319129  | PC Element Titanium 3kW  |        |
| 319130  | PC Element Titanium LWD 3kW  |        |
| 417036  | PC Booster Element Kit Titanium 3kW (Mains Pressure Stainless Steel) |        |
| 411020  | PC Thermostat Valve Vented 11" Rod                                   |        |
| 411021  | PC Thermostat Open Vented 11" Rod                                    |        |
| 052016  | PC Thermostat 60-80 ST551  |        |
| 411018  | PC Thermostat 50/100 Dairy   |        |
| 09002   | PC Thermostat 50-70 S/Shot OTC ST 1301133                            |        |
| 317312  | Thermostat R/S ST1001130 70°C SGL Pole                               |        |
| 317659  | Thermostat R/S ST1006250 95°C SGL Pole                               |        |
| <b>Drip Trays</b>                             |  |        |
| 417019  | PC Galvanised Drip Tray 660mm  |        |
| 417020  | PC Galvanised Drip Tray 800mm  |        |
| 417030  | PC Galvanised Drip Tray Custom (Up to 1100mm Width)                  |        |
| <b>Valves</b>                                 |  |        |
| 415018  | PC 20mm Valve Econopack  |        |
| 415014  | PC Solar Combo 20mm Valve Pack                                       |        |
| 415020  | PC Solar Heatguard Tempering Valve                                   |        |
| <b>Misc.</b>                                  |  |        |
| 412012  | PC FS Oetiker (Site Tube) Clip 9-11mm                                |        |
| 413001  | PC Element Cover (Galvanised)  |        |
| 415506  | PC Temp Gauge Stainless Steel Baumer                                 |        |
| 415507  | PC Temp Gauge Holder Stainless Steel Baumer                          |        |
| 417004  | PC 25mm Copper Bend Dairy Overflow                                   |        |
| 417011  | PC Dairy Sight Tube Assembly   |        |
| 417012  | PC Dairy Sight Tube Assembly with Temp Gauge                         |        |





PETER COCKS FACTORY IN CHRISTCHURCH IN CA.1990

# PETER COCKS DOMESTIC WARRANTY CHART

|                        |                            | TANK<br>(TANK<br>REPLACEMENT<br>ONLY,<br>NO LABOUR) | TANK<br>LABOUR | PARTS &<br>LABOUR |
|------------------------|----------------------------|---|----------------|-------------------|
| <b>MAINS PRESSURE</b>  |                            |   |                |                   |
|                        | STAINLESS STEEL            | 10  | 3*             | 1                 |
|                        | STAINLESS STEEL COIL       | 10  | 3*             | 1                 |
|                        | CUSTOM                     | 5   | 1              | 1                 |
| <b>LOW PRESSURE</b>    |                            |   |                |                   |
|                        | STAINLESS STEEL            | 10  | 3*             | 1                 |
|                        | STAINLESS STEEL<br>WETBACK | 10  | 3*             | 1                 |
|                        | COPPER                     | 5   | 1              | 1                 |
|                        | COPPER WETBACK             | 5   | 1              | 1                 |
|                        | COPPER COIL                | 5   | 1              | 1                 |
|                        | JUMBO                      | 5   | 1              | 1                 |
| <b>MEDIUM PRESSURE</b> | COPPER                     | 5   | 1              | 1                 |
| <b>DAIRY</b>           | LOW PRESSURE               | 5   | 1              | 1                 |

\* Cylinders manufactured prior to 1st October 2017 have a 1-year warranty on tank labour.

All warranties listed in this reference guide are for single family premises in a domestic application. For full warranty conditions please refer to the Peter Cocks installation guide, or go to [www.petercocks.co.nz/warranty](http://www.petercocks.co.nz/warranty)

# PETER COCKS MODEL CODE LEGEND

LP 180 56 STD 3

1 2 3 4 5

1  
KEY:  
LP = Low Pressure  
MP = Mains Pressure  
SS = Stainless Steel  
LP = LPSS  
SP = Special (Custom) LP Copper  
(If model starts with a number, this field is not applicable)

2  
xx/xxx/xxxx = Overall Volume in L

3  
xx = Overall Diameter in cm  
(For 800L+ Dairy's, 10 refers to 102cm not 10cm. = 200L+ MP S.S. exclude this field)

4  
DSP = Electric + Wetback (LP Copper)  
ESP = Electric (LP Copper)  
D = Dairy (LP Copper)  
US = Electric Under Sink (LP Copper)  
UMPW = Electric Medium Pressure Unadersink (Copper)  
MPW = Electric Medium Pressure (Copper)  
CM = Cistern Model (Header Tank) (LP Copper)  
HP = Jumbo (MP Copper Coil + LP Copper Cylinder)  
CUS = Custom  
STD = Electric  
SDB = Electric + Direct Solar (MPSS)  
SCB = Electric + Coil (Solar) + Direct Solar  
STB = Electric + Coil (Wetback) + Direct Solar  
STCB = Electric + Twin Coil (Wetback & Solar) (MPSS)

5  
L = Left entry/exit version for coil/auxiliary port(s)  
R = Right entry/exit version for coil/auxiliary port(s)  
OD = Outdoor upgrade for custom models  
3 = 3kW (Only for models with 2kW AND 3kW element options)

MTS = Made to Stock Items

MTO = Made to Order

Peter Cocks can manufacture these items after receiving a valid purchase order. No custom form required.

CUST = Custom Made Order

Completed Custom Made Order Form is required to manufacture models that aren't listed as a MTS or MTO product in this booklet. To download this form go to [www.petercocks.co.nz/pdfs](http://www.petercocks.co.nz/pdfs)

Delivery times for the above items are dependent on availability. Please contact the Peter Cocks Customer Service team on (03) 384 1360 to confirm delivery dates.



114 Maces Rd • Christchurch 8062  
P: (03) 384 1360 • F: (03) 384 5903  
E: [info@petercocks.co.nz](mailto:info@petercocks.co.nz)

[www.petercocks.co.nz](http://www.petercocks.co.nz)